

The Claims:

Please rewrite the Claims as provided below. This listing of Claims will replace all prior versions and listings of Claims in the application:

### **Listing of Claims**

1. (Currently Amended) A method for providing data to a software application comprising the steps of: assembling the data into a plurality of tables; providing the plurality of tables to a memory accessible by a server; sending a request, from a client to the server, to reformat the data in the plurality of tables; receiving the plurality of tables at the server in response to the server receiving the request to reformat the data in the plurality of tables; reformatting, at the server, the data in the plurality of tables to a reformatted form according to rules of the software application; and entering the data in the reformatted form in a database.

2. (Original) The method of claim 1, wherein the step of assembling the data into the plurality of tables comprises assembling the data at the client into the plurality of tables wherein at least one of the plurality of tables is formatted in a one-to-one relationship.

3. (Original) The method of claim 2, wherein the step of assembling comprises creating each of the plurality of tables in respective spreadsheets, wherein the step of providing the tables to the memory comprises providing the spreadsheets to the memory.

4. (Original) The method of claim 1, wherein the step of sending a request to reformat the data comprises sending the request via an email from the client to the server.

5. (Original) The method of claim 4, further comprising the step of: authenticating a sender of the request to convert the data; wherein the step of entering comprises entering the data in response to the step of authenticating producing a confirmation that the sender is authorized to enter the data in the database.

6. (Original) The method of claim 5, wherein the step of authenticating comprises authenticating the sender by comparing an email user name of the sender used in the email with a list of authorized users.

7. (Original) The method of claim 1, further comprising the step of: validating, prior to the step of entering, the data by comparing the data with validation data in the database.

8. (Original) A method for providing data to a database comprising the steps of: receiving, at a server, a request sent via email from a client to assemble the data according to rules of a software application; receiving, in response to the email being received, the data from a memory accessible by both the server and a client; assembling the data into data formatted according to the rules of the software application; and entering the data formatted according to rules of the software application in a database.

9. (Original) The method of claim 8, wherein the step of receiving the data comprises receiving the data as a collection of tables organized in a one-to-one relationship.

10. (Original) The method of claim 9, wherein the step of receiving the data as a collection of tables comprises receiving each of the tables in a collection of respective spreadsheets, wherein the collection of spreadsheets are stored in a folder in the memory.

11. (Original) The method of claim 10, wherein the data is project management data and the collection of tables comprises tables selected from the group consisting of: an activity information table, a resource information table, a relationship information table and a global activity code attribute table.

12. (Original) The method of claim 8, further comprising the step of: validating, prior to the step of entering the data, the data in the one-to-one tables.

13. (Original) The method of claim 12, further comprising the step of: compiling an exception report during the step of validating; and providing the exception report to another folder in the memory.

14. (Original) The method of claim 8, further comprising the step of: authenticating a sender of the request to assemble the data based upon an email address of the sender; wherein the step of entering comprises entering the data in response to the step of authenticating producing a confirmation that the sender is authorized to update the database.

15. (Currently Amended) The method of claim 8, wherein the step of assembling the data into data formatted according to the rules of the software application comprises assembling

the data from a one-to-one format into a one-to-many format.

16. (Original) A computer readable medium embodied with code segments for providing data to a database, the computer readable medium comprising: a code segment for receiving a request at a server from a client to assemble data into a format that is in accord with rules of a software application; a code segment for receiving, in response to the request from the client to assemble the data, the data at the server; a code segment for assembling the data into the format that is in accord with rules of a software application; and a code segment for entering the data that is in accord with rules of a software application into a database.

17. (Original) The computer readable medium of claim 16, wherein the code segment for receiving comprises a code segment for receiving the data as one-to-one tables from a memory accessible by both the server and a client.

18. (Original) The computer readable medium of claim 16, further comprising: a code segment for validating the data prior to the data, that is in accord with rules of a software application, being entered into the database.

19. (Original) The computer readable medium of claim 16, wherein the code segment for receiving a request at a server from a client comprises a code segment for receiving the request at the server via an email from the client.

20. (Original) The computer readable medium of claim 19 further comprising: a code

segment for authenticating a sender of the request to assemble the data based upon an email address of the sender; wherein the code segment for entering the data comprises a code segment for entering the data in response to the sender being authenticated by the code segment for authenticating.